



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/866,938	05/29/2001	Wendell P. Noble	303.330US3	8033

21186 7590 09/06/2006

SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH, P.A.
P.O. BOX 2938
MINNEAPOLIS, MN 55402

EXAMINER

CHEN, JACK S J

ART UNIT	PAPER NUMBER
----------	--------------

2813

DATE MAILED: 09/06/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/866,938

Applicant(s)

NOBLE ET AL.

Examiner

Jack Chen

Art Unit

2813

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 40,41 and 45-76 is/are pending in the application.
- 4a) Of the above claim(s) 40-41, 45-61, 63-64, 66, 68-75 is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 62,65,67 and 76 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. ____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- ☒ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☐ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date ____.
- ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. ____.
- ☐ Notice of Informal Patent Application
- ☐ Other: ____.

DETAILED ACTION

1. Applicant's election without traverse of Species II, Sub-species I, with claims 62, 65, 67 and 76 indicated by Applicant to read thereon, in the reply filed on November 3, 2005 is acknowledged.
2. Claims 40-41, 45-61, 63-64, 66 and 68-75 are withdrawn from further consideration pursuant to 37 CFR 1.142(b) as being drawn to a nonelected species, there being no allowable generic or linking claim.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

4. Claims 62, 65, 67 and 76 are rejected under 35 U.S.C. 102(e) as being anticipated by Burns, Jr. et al., US/5,990,509.

Re claim 62, Burns, Jr. et al. disclose a method comprises forming a first source/drain layer 215 at a surface of a substrate 235 (fig. 8); forming a second source/drain layer 240 at a surface of an epitaxial layer (fig. 8, also see col. 9, lines 32-41); etching, in a first direction, a plurality of substantially parallel first troughs (i.e., in the wordline direction) in the epitaxial layer (fig. 8); forming first floating gate regions 265 along sidewall regions of the first troughs and separated from the sidewall regions by a first gate dielectric layer 260 (fig. 10); forming first

control gate regions 275 between opposing first floating gate region (fig. 10), the first control gate regions being separated from the first floating gate regions by a first intergate dielectric layer 270 (fig. 10); etching, in a second direction substantially orthogonal to the first direction, a plurality of substantially parallel second troughs (i.e., bit line direction) in the epitaxial layer (fig. 8); forming second floating gate regions 265 along sidewall region of the second troughs and separated from the sidewall regions by a second gate dielectric layer 260 (fig. 11); and forming second control gate regions 275 between opposing second floating gate regions (fig. 11), the second control gate regions being separated from the second floating gate regions by a second intergate dielectric layer 270 (fig. 11), see figs. 1-72 and cols. 1-34 for more details.

Re claim 65, Burns, Jr. et al. disclose a method comprises forming a first source/drain layer 215 at a surface of a substrate 235 (fig. 8); forming a second source/drain layer 240 at a surface of an epitaxial layer (fig. 8, also see col. 9, lines 32-41); etching, in a first direction, a plurality of substantially parallel first troughs (i.e., in the wordline direction) in the epitaxial layer (fig. 8); forming first floating gate regions 265 along sidewall regions of the first troughs and separated from the sidewall regions by a first gate dielectric layer 260 (fig. 10); forming first control gate regions 275 between opposing first floating gate region (fig. 10), the first control gate regions being separated from the first floating gate regions by a first intergate dielectric layer 270 (fig. 10); etching, in a second direction substantially orthogonal to the first direction, a plurality of substantially parallel second troughs (i.e., bit line direction) in the epitaxial layer (fig. 8); forming second floating gate regions 265 along sidewall region of the second troughs and separated from the sidewall regions by a second gate dielectric layer 260 (fig. 11); forming a second intergate dielectric layer 270 by thermal growth of silicon dioxide (col. 11, lines 1-6); and

forming second control gate regions 275 between opposing second floating gate regions (fig. 11), the second control gate regions being separated from the second floating gate regions by the second intergate dielectric layer 270 (fig. 11), see figs. 1-72 and cols. 1-34 for more details.

Re claim 67, Burns, Jr. et al. disclose a method comprises forming a first source/drain layer 215 at a surface of a substrate 235 (fig. 8), wherein the forming of the first source/drain layer 215 includes forming the first source/drain layer at the surface of the substrate 235, wherein the substrate 235 is a bulk semiconductor; forming a second source/drain layer 240 at a surface of an epitaxial layer (fig. 8, also see col. 9, lines 32-41); etching, in a first direction, a plurality of substantially parallel first troughs (i.e., in the wordline direction) in the epitaxial layer (fig. 8); forming first floating gate regions 265 along sidewall regions of the first troughs and separated from the sidewall regions by a first gate dielectric layer 260 (fig. 10); forming first control gate regions 275 between opposing first floating gate region (fig. 10), the first control gate regions being separated from the first floating gate regions by a first intergate dielectric layer 270 (fig. 10); etching, in a second direction substantially orthogonal to the first direction, a plurality of substantially parallel second troughs (i.e., bit line direction) in the epitaxial layer (fig. 8); forming second floating gate regions 265 along sidewall region of the second troughs and separated from the sidewall regions by a second gate dielectric layer 260 (fig. 11); and forming second control gate regions 275 between opposing second floating gate regions (fig. 11), the second control gate regions being separated from the second floating gate regions by a second intergate dielectric layer 270 (fig. 11), see figs. 1-72 and cols. 1-34 for more details.

Re claim 76, Burns, Jr. et al. disclose a method comprises forming a first source/drain layer 215 at a surface of a substrate 235 (fig. 8); forming a second source/drain layer 240 at a

Art Unit: 2813

surface of an epitaxial layer (fig. 8, also see col. 9, lines 32-41); etching, in a first direction, a plurality of substantially parallel first troughs (i.e., in the wordline direction) in the epitaxial layer (fig. 8); forming a first gate dielectric layer 260 (fig. 10) along sidewall region of the first troughs; forming first floating gate regions 265 along sidewall regions of the first troughs and separated from the sidewall regions by the first gate dielectric layer 260 (fig. 10); forming first control gate regions 275 between opposing first floating gate region (fig. 10), the first control gate regions being separated from the first floating gate regions by a first intergate dielectric layer 270 (fig. 10); etching, in a second direction substantially orthogonal to the first direction, a plurality of substantially parallel second troughs (i.e., bit line direction) in the epitaxial layer (fig. 8); forming a second gate dielectric 260 (fig. 11) along sidewall regions of the second troughs; forming second floating gate regions 265 along sidewall region of the second troughs and separated from the sidewall regions by the second gate dielectric layer 260 (fig. 11); and forming second control gate regions 275 between opposing second floating gate regions (fig. 11), the second control gate regions being separated from the second floating gate regions by a second intergate dielectric layer 270 (fig. 11), see figs. 1-72 and cols. 1-34 for more details.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jack Chen whose telephone number is (571)272-1689. The examiner can normally be reached on Monday-Friday (9:00am-6:30pm) alternate Monday off.

Art Unit: 2813

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Carl W. Whitehead can be reached on (571)272-1702. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



Jack Chen
Primary Examiner
Art Unit 2813

September 4, 2006